

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	56	schmidl-timothy-m.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 11:04
S2	28	nafie-mohammed.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/20 16:19
S3	103	dabak-anand-g.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/20 16:25
S4	132	370/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/20 16:25
S5	121	370/313.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 10:22
S6	1903	370/349.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 10:23
S7	12784	address adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 10:23
S8	74	(370/349.ccls. and @ay<"2001") and (address adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 10:59
S9	19831	packet same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 11:00

S10	264	(370/349.ccls. and @ay<"2001") and (packet same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 13:58
S11	948	370/389.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 13:59
S12	37219	extend\$ same address\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:00
S13	73	(370/389.ccls. and @ay<"2001") and (extend\$ same address\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:16
S14	8386	packet\$ same address\$ same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:17
S15	290	(370/389.ccls. and @ay<"2001") and (packet\$ same address\$ same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:48
S16	2583	370/392.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:49
S17	155373	wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:49
S18	26	((packet\$ same address\$ same header) and (370/392.ccls. and @ay<"2001")) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 14:49
S19	308	(packet\$ same address\$ same header) and (370/392.ccls. and @ay<"2001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:10

S20	8289	Bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:12
S21	21	(extend\$ same address\$) and (Bluetooth and @ay<"2001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:23
S22	57	extend\$ adj address\$ same packet\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:26
S23	231	extended adj addressing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:29
S24	180	(extended adj addressing) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:42
S25	1	Bluetooth and (extended adj addressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:45
S26	5	wireless and (extended adj addressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:45
S27	1265	Bluetooth and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:54
S28	95815	addressing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:55
S29	698	Bluetooth and addressing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 15:55

S30	84	(Bluetooth and addressing) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 16:03
S31	46	active adj member adj address\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 16:19
S32	12	predetermined adj address adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/21 16:20
S33	20366	destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 08:26
S34	19847	packet same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 08:27
S35	4899	(destination adj address) and (packet same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 08:27
S36	2962	((destination adj address) and (packet same header)) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 09:10
S37	1319	((((destination adj address) and (packet same header)) and @ay<"2001")) and map\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 09:42
S38	549	address same header same extend\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 10:05
S39	371	(address same header same extend\$) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 10:36

S40	2488	address with header.AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 09:50
S41	2094	(address with header.AB.) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 09:54
S42	3200	address same header.AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 10:09
S43	100	address same header same map\$. AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 10:09
S44	82	(address same header same map\$.AB.) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:26
S45	2852	address adj code.AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:29
S46	12	predetermined adj address adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:33
S47	15	extend\$ same length same address same field.AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:36
S48	535	extend\$ same length same address same field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:36
S49	382	(extend\$ same length same address same field) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:39

S50	6422	destination adj address\$.AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:40
S51	136	destination adj address\$ same map\$.AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 11:42
S52	114	(destination adj address\$ same map\$.AB.) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 13:57
S53	45	active adj member adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 14:21
S54	5	"524326".AP.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 14:40
S55	12	morris-martin.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 14:41
S56	30	extended adj address adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 15:23
S57	27	(extended adj address adj field) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 15:44
S58	475	(address same field) same (error adj check\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 15:44
S59	381	((address same field) same (error adj check\$)) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 15:45

S60	11	mini adj header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 10:39
S61	243	superframe and cell and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 13:19
S62	1	("6366961").PN.	USPAT; USOCR	OR	OFF	2003/11/25 13:19
S63	5620	370/349,389,392,313.ccls. and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 08:59
S64	1803	(370/349,389,392,313.ccls. and (@ad<"20000301" or @rlad<"20000301")) and (address same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 11:29
S65	262	((370/349,389,392,313.ccls. and (@ad<"20000301" or @rlad<"20000301")) and (address same packet)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 10:32
S66	879	extended adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 11:24
S67	732	(extended adj address) and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 10:33
S68	32	extended adj address adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 10:34
S69	27	(extended adj address adj field) and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 11:20

S70	5	(packet or frame or cell) same (address adj field) same (different adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 11:26
S71	2703	370/392.ccls. and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 11:30
S72	215	(370/392.ccls. and (@ad<"20000301" or @rlad<"20000301")) and (address adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 14:17
S73	1	("5450407").PN.	USPAT; USOCR	OR	OFF	2004/06/25 14:57
S74	94	frame same pointer same address same extend\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 14:58
S75	81	(frame same pointer same address same extend\$) and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:14
S76	3	(extended adj address) same (error adj check\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:14
S77	3	((extended adj address) same (error adj check\$)) and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:15
S78	239	haartsen.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:58
S79	17158	bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:59

S80	967	S79 and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:10
S81	32	S80 and (address\$4 same extend\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:06
S82	521	S80 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:06
S83	1	("6751200").PN.	USPAT	OR	OFF	2005/04/14 16:06
S84	1	("5450407").PN.	USPAT	OR	OFF	2005/04/15 11:04
S85	8	"5450407".uref.	USPAT	OR	OFF	2005/04/15 11:04
S86	9	"extended address field" and header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 11:53
S87	7	S86 and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 13:21
S88	7394	370/389-393,470-476.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 13:23
S89	3983	S88 and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 14:40
S90	1445	S89 and "address" and "header" and ("pointer" or "indicator" or "identifier")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 13:25
S91	697	S89 and "address" and "header" and ("pointer")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 13:46
S92	941	S89 and "address" and "header" and ("pointer" or "indicator")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 13:25
S93	215	S89 and "address field" and "type field"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 13:56

S94	1	("6574238").PN.	USPAT	OR	OFF	2005/09/04 14:39
S95	8	S89 and "displace"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 14:43
S96	319	370/476.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 14:43
S98	217	S96 and (@ad<"20000301" or @rlad<"20000301")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 14:44
S99	127	S98 and address	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/04 14:44